



Team

Modeling

- SubramanianSankaranarayanan (CNM)
- Kiran Sasikumar (CNM)

Analysis

- Todd Munson (MCS)
- Sven Leyffer (MCS)
- Nicola Ferrier (MCS)
- Youssef Nashed (MCS)
- Tom Peterka (MCS)

Ultrafast Imaging


- Ian McNulty (NST)
- Ross Harder (XSD)
- Haidan Wen (XSD)
- Mathew Cherukara (XSD)
- Andrew Ulvestad (MSD)




Objectives

- technical
- collaborative


- Pump-probe experiments (Sector 7)
- Reactive MD (LAMMPS Reax)
- Understanding phonon breathing modes
- Understanding reaction-induced strain
- Lattice fitting
- Fast phase reconstruction
- Comparing results in different time/ length scales
- Workflow development
- Attracting new talent
- Learning a new language
- Attracting new funding



Displacement of Au atoms after 20 ps in 0.55 MM ascorbic acid.



Simulation and experiment are integrated through data analysis.



J. N. Clark, et al. *Science* 341 (6141): 56–59.

Phonons: Sound Waves that Carry Heat in Crystal Lattice Vibration

- Heat dissipation of next-generation semiconductors
- Conversion of wasted heat into electricity in thermoelectric materials
- Electrochemical processes across liquidsolid interfaces in water
 - phase transitions
 - bond softening/hardening
 - ferroelectricity
 - solid/liquid interfaces
 - heat dissipation
 - phononic local structure
 - phase front propagation
 - spectrometry




http://water.org/water-crisis/water-facts/water/



Coherent Diffraction Imaging: Applications


In-situ and operando characterization of materials evolution

- Mechanical response at nanometer length scales
 - Structural response to chemical reactions & in-situ catalysis
 - Decomposition of semiconductors in contact with noble metals
 - Structural changes in crystals due to defect formation and remova
 - Alloying and dealloying
 - High temperature and pressure
- Domain wall (magnetic, orbital, charge) structure in the complex oxides and multi-layer
- Phase transitions vs temperature and magnetic field



Coherent diffractive imaging of solid state reactions in zinc oxide crystals.

Leake, S. J., Harder, R., & Robinson, I. K. (2011) New Journal of Physics, 13(11), 113009



Cha, Wonsuk, et. al 2013 Nat Mater 12 (8) 729–34.

Watari, M., Harder R., et al. (2011). *Nat Mater*, *10*(11), 862–866.


chain thiols, the large stress cannot arise from the va chain—chain interactions or other weak forces alone, be least ionic or covalent rearrangements. Indeed the Au—least ionic or covalent rearrangements. Indeed the Au—lipays a crucial role in SAM formation: the structure c (1.6 mm) thiolated nanocrystals has its Au—Au spacin disrupted and sulphur intermixed with gold in the o Our findings support this model and show strong the deformations of our 300 nm crystals with strains penet than 20 nm from the outer surface towards the crystal strains are absent. The tight-radius spherical parts of nanocrystals might also undergo strong Au—S interwould indeed be able to provide sufficient stress. reactions involving atomic diffusion of Au at room would also be an attractive explanation of the relatively seen in both our X-ray and the cantilever experiments.

Our observation of relative contraction of the expansion of the curved surface regions of Au r illustrated in Fig. 3e, leads to the conclusion that the

NATURE MATERIALS | VOL 10 | NOVEMBER 2011 | www.nature.com/

© 2011 N


Phase Retrieval: Challenging and Costly Inverse Problem



1000's of iterations and multiple random starts required for high fidelity data!


Fast Phasing Library (FPL)


- Group phase retrieval methods and tricks in one library
- Runs on various platforms (from user laptops to HPC systems)
- Hardware-independent code through ArrayFire
- Easy to customize, maintain and extend
- Currently over 100x faster than GPU accelerated MATLAB code, ~500X over the CPU version




Time-resolved CDI

- Laser pump, X-ray probe at Sector 7
- Combine with CDI
- Provide dynamical map of excited modes in sample.
- <10 nm spatial resolution possible with 100 ps temporal resolution.







Case Study 1: Dynamic Response of Au Crystals



Case Study 2: Volumetric and Deviatoric Deformation Modes in ZnO Crystal



Reverse Problem Workflow




Case Study 3: Induced Shock Waves in Au Coated

with Al Change in peak width (c) 500 10 Peak 40-position³ Delay or COM2 100 nm aluminum Peak-width 20 300 shell on 300 nm gold 30 200 40 100 **COM** shift 300 400 500 100 200 600 10 20 30 40 Time (ps) 0.5 Peak position Peak width Gaussian spread 0.4 Gaussian spread (pixels) Angular deviation (deg.) 1.5 0.2 0.1 -0.1 -0.5 -0.2 20 25 5 10 15 30 [111] displacement Time (ps)

MD simulations

Calculated diffraction pattern

Case Study 4: Ascorbic Acid Decomposition on Gold




- Lattice change occurs at junctions involving the flattest facet
- Electron injection should create largest electric field at crystallographic discontinuities or apexes, providing "hot spots" for the reaction

Atomistic Simulation of Nanocatalytic Activity on Au Nanosurfaces

Sample schematic of simulated system


IM acid + water + gold (truncated octahedron)




Yellow - Gold Green - Carbon Red - Oxygen Blue - Hydrogen

Effect of Acid Molarity

Displacement of Au atoms after 200 ps




Adsorption Pathway







Forward Problem Workflow



Lattice Fitting



Modeling Ascorbic Acid Decomposition on Gold



Food for Thought

- Science challenges
 - Time and space scales
 - Experiment: 10-20 nm resolution, particle size > 100 nm; time resolution 100 ps at the APS
 - Modeling: 1B atoms, 100 nm particle, 1 atom spatial resolution; time step 1 fs, 10s of ns duration
 - Comparing experiment with model
 - Measure different quantities or the same quantity differently
 - We can measure strain on one lattice vector; how do we do that in 3d? In atomic scale?
 - Various techniques are appropriate for different scale models (eg FEM instead of MD)
- CS challenges
 - Language barriers
 - Time and space scales
 - Workflows: automation, reproducibility

Food for Thought

- Next steps
 - Draft paper for submission to a journal
 - Complete analysis of systems we measured ZnO and AuAl, MD model those systems
 - Corrosion experiment, submitted proposal for beam time at 34 and compute time Cu in salt water
 - In situ reconstruction and analysis
 - Machine learning to fit measured diffraction pattern to database of diffraction patterns (AICDI LDRD)



Funding Opportunities

- Workshops: Workflows workshop, Experimental and Observational Data workshop, Rumored upcoming experiment + simulation workshop
- ECP
- BESAC future directions
 - "Beyond Ideal Materials and Systems: Understanding the Critical Roles of Heterogeneity, Interfaces, and Disorder" (e.g., corrosion)



<u>Data Management, Visualization, and Analysis of</u> <u>Experimental and Observational Data (EOD) Workshop</u>

The Data Management, Visualization, and Analysis of Experimental and Observational Data (EOD) Workshop is aimed at helping ASCR and the research community better understand data management, analysis and visualization needs related to user...



Workshop on the Future of Scientific Workflows

MissionThe mission of this workshop is to develop requirements for workflow methods and tools in a combined HPC and distributed work environment to enable science applications to better manage their end-to-end data flow. The following...

A Report from the Basic Energy Sciences Advisory Committee

CHALLENGES AT THE

AND ENERGY:

for Discovery Science

FRONTIERS OF MATTER

Transformative Opportunities

References

Maui website (public)

http://tpeterka.github.io/maui-project/

Maui project site (private)

https://bitbucket.org/tpeterka1/maui





